

PRODUCT-DETAILS

Sentry SSR20M

Sentry SSR20M Safety relay



General Information

Extended Product Type	Sentry SSR20M
Product ID	2TLA010051R0100
EAN	7350024483314
Catalog Description	Sentry SSR20M Safety relay
Long Description	Safety relay with relay outputs 3NO+1NC, 85-265 VAC/120-375 VDC supply voltage and screw terminals. For monitoring of two-hand devices. Manual or automatic reset selectable by switch on front.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Popular Downloads

Data Sheet, Technical Information	2TLC010037L0201
Instructions and Manuals	2TLC010066M0201
Dimension Diagram	2TLC010001U0201
Wiring Diagram	2TLC010010T0001
Marketing Video	2TLC010019N0201 2TLC010018N0201

Dimensions

Product Net Depth / Length	120 mm
Product Net Height	120 mm
Product Net Width	22.5 mm
Product Net Weight	0.214 kg

Technical

Degree of Protection	IP20
Number of Outputs	Failsafe (Transistor) 0 Failsafe (Relay) 3
Performance Level (PL)	Up to e
Rated Control Supply Voltage (U _s)	120 ... 375 V DC 85 ... 265 V AC

Certificates and Declarations (Document Number)

CCC Certificate	2020980303000244
CQC Certificate	CQC2017010303977544
cUL Certificate	2TLC010006D0201
cULus Certificate	2TLC010007D0201
Declaration of Conformity - CCC	2020980303000244
Declaration of Conformity - CE	2TLC010010D0201
Instructions and Manuals	2TLC010066M0201
KC Certificate	2TLC010048D0201
RoHS Information	2TLC010010D0201
TÜV Certificate	2TLC010008D0201

Classifications

Object Classification Code	K
ETIM 4	EC001449 - Device for monitoring of safety-related circuits
ETIM 7	EC001452 - Two-hand control relay
eClass	V11.0 : 27371821
E-Number (Finland)	2712525
E-Number (Sweden)	3860825

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Safety Relays → Single Function Safety Relays

Low Voltage Products and Systems → Control Products → Safety Products → Safety Relays → Single Function Safety Relays

