

PRODUCT-DETAILS

# JSTD25F

## JSTD25F Two-Hand device



### General Information

Extended Product Type	JSTD25F
Product ID	2TLA020007R6000
EAN	7350024460322
Catalog Description	JSTD25F Two-Hand device
Long Description	<p>JSTD25F is a two-hand device with two JSTD1-B Safeball. The Safeball are mounted on each end of a 44x88 aluminum profile designed for two-hand applications. The Safeball are pre-wired to a M12-5 male connector and protected by flanges.</p> <p>The JSTD25 control stations are pre-built two-hand devices offering the good ergonomics of Safeball. They can be used as fixed devices that are easy to install, or as mobile devices. All models are equipped with flanges to protect the Safeball from accidental operation, and from damage if the device is dropped on the floor when used as mobile device.</p>

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365011
Product Main Type	JSTD25
Product Name	Two-Hand device

### Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
-----------------------------------	-----------------

Data Sheet, Technical Information (Part 2)	2TLC010068D0201
Instructions and Manuals	2TLC172185M0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

## Dimensions

Product Net Depth / Length	90.5 mm
Product Net Height	130 mm
Product Net Width	370 mm
Product Net Weight	1.167 kg

## Safety Information

Performance Level (PL)	Up to e
------------------------	---------

## Technical

Connection Configuration	M12-5 male
--------------------------	------------

## Environmental

Degree of Protection	IP65
----------------------	------

## Certificates and Declarations

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172023D0201
Declaration of Conformity - UKCA	2TLC010204D0201
SEMKO Certificate	2TLC172034D0201

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	38.2 mm
Package Level 1 Depth / Length	95 mm
Package Level 1 Height	140 mm
Package Level 1 Gross Weight	1.317 kg
Package Level 1 EAN	7350024460322

## Classifications

eClass	V11.0 : 27371219
ETIM 7	EC001260 - Two-hand control device

ETIM 8	EC001260 - Two-hand control device
ETIM 9	EC001260 - Two-hand control device
IDEA Granular Category Code (IGCC)	3584 >> Safety Control Module
UNSPSC	32151802
Object Classification Code	B

---

## Categories

---

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25

