




References of TransferPacT Active Automatic and Automatic 32-630 A



TransferPacT Automatic

	2P	3P	4P
 TA10D2S0323TPE.png	32A	TA10D2S0323TPE	TA10D3S0324TPE
	40A	TA10D2S0403TPE	TA10D3S0404TPE
	50A	TA10D2S0503TPE	TA10D3S0504TPE
	63A	TA10D2S0633TPE	TA10D3S0634TPE
 TA10D2S0803TPE.png	80A	TA10D2S0803TPE	TA10D3S0804TPE
	100A	TA10D2S1003TPE	TA10D3S1004TPE
	80A		TA16D3S0804TPE
	100A		TA16D3S1004TPE
 TR25D4S2504TPE.png	125A		TA16D3S1254TPE
	160A		TA16D3S1604TPE
	200A		TA25D3S2004TPE
	250A		TA25D3S2504TPE
	320A		TA63D3S3204TPE
	400A		TA63D3S4004TPE
 TA63D4S6304TPE.png	500A		TA63D3S5004TPE
	630A		TA63D3S6304TPE
			TA63D4S6304TPE

TransferPacT Automatic Function Modules

 TPCDIO6_ISO.png	For Active Automatic and Automatic HMI	
	Load shedding and Availability warning	TPCDIO05
	Transfer inhibit and Remote testing	TPCDIO07
	Voluntary Remote control	TPCDIO08
	Fire Protection 24 Vdc pulse	TPCDIO10
	Fire Protection 24 Vdc constant	TPCDIO11
	Fire Protection 230 Vac constant	TPCDIO13
	Fire Protection Dry contact	TPCDIO14
	Genset start and Alarm	TPCDIO17
	For Active Automatic HMI only (* Native equipped for TransferPacT active automatic. no need to order except for renewal or replace)	
BUS Extension and 24 VDC auxiliary supply	TPCDIO15	
Modbus RTU (Serial Port)	TPCCOM16	




TransferPacT Automatic spare part

 TPCCIF1_ISO.png	Active Automatic HMI	TPCCIF01
	 TPCCIF02_ISO.png	Automatic HMI




References of TransferPacT Active Automatic and Automatic 32-630 A





TransferPacT Active Automatic External HMI

	1x	External HMI	TPCCIF04
	1x	HMI Cable 1 m	TRV00810
		HMI Cable 2 m	TRV00820
		HMI Cable 3 m	TRV00830
	1x	IP54 cover (for outdoor installation)	TPCOTH37

Auxiliary Contacts

	OF for Source position for frame 100 and frame 160	TPSAUX32
	OF for Off position for frame 100 and frame 160	TPSAUX33
	OF for Source position for frame 250 and frame 630	TPSAUX43
	OF for Off position for frame 250 and frame 630	TPSAUX44



Insulation Accessory

	Terminal shield for frame 100 (set of 2)	TPSISO30
	Terminal shield for frame 160 (set of 3)	TPSISO31
	Terminal Shield for frame 250 (100-250 A) (set of 1)	LV429518
	Terminal Shield for frame 630 (320-630 A) (set of 1)	TPSISO42
	Interphase barrier frame 160 (set of 9)	TPSISO29
	Interphase barriers for frame 250 (100-250 A) and frame 630 (320-630A) (set of 3)	TPSISO65
	Insulating screen for frame 250 (100-250 A) (set of 1).	TPSISO66
	Insulating screen for frame 630 (320-630 A) (set of 1).	TPSISO67

References of TransferPacT Active Automatic and Automatic 32-630 A

A



Connection accessory-bare cable connector

Aluminum		
	1 cable 25 mm ² to 95 mm ² , frame 250 (set of 3).	LV429227
	1 cable 25 mm ² to 95 mm ² , frame 250 (set of 4).	LV429228
	1 cable 120mm ² to 185mm ² , frame 250 (set of 3).	LV429259
	1 cable 120mm ² to 185mm ² , frame 250 (set of 4).	LV429260
	1 cable 120 to 240 mm ² , frame 250 (set of 3).	TPSCON49 ^b
	1 cable 120 to 240 mm ² , frame 250 (set of 4).	TPSCON50 ^b
	1 cable 35 to 300 mm ² , frame 630 (set of 3).	TPSCON53 ^b
	1 cable 35 to 300 mm ² , frame 630 (set of 4).	TPSCON54 ^b
	2 cables 50 to 120 mm ² , frame 250 (set of 3).	TPSCON51 ^a
	2 cables 50 to 120 mm ² , frame 250 (set of 4).	TPSCON52 ^a
	6 cables 1.5 to 35 mm ² , frame 250 (set of 3).	TPSCON47 ^b
	6 cables 1.5 to 35 mm ² , frame 250 (set of 4).	TPSCON48 ^b
	9 cables for frame 250 (set of 3).	LVS04033 ^a
	9 cables for frame 250 (set of 4).	LVS04034 ^a
Steel		
	1 cable 1.5 to 95 mm ² , frame 250, up to 160 A only (set of 3).	LV429242
	1 cable 1.5 to 95 mm ² , frame 250, up to 160 A only (set of 4).	LV429243


a: Applicable for load side only

b: Must select terminal shield to ensure incoming and output terminal protection.

Connection accessory-crimp lug

Aluminum			
	150 mm ² , frame 250 (set of 3).	LV429504	
	150 mm ² , frame 250 (set of 4).	LV429505	
	185 mm ² , frame 250 (set of 3).	LV429506	
	185 mm ² , frame 250 (set of 4).	LV429507	
	240 mm ² , frame 630 (set of 3).	TPSCON61	
	240 mm ² , frame 630 (set of 4).	TPSCON62	
	300 mm ² , frame 630 (set of 3).	TPSCON63	
	300 mm ² , frame 630 (set of 4).	TPSCON64	
	Copper		
		120 mm ² , frame 250 (set of 3).	LV429252
120 mm ² , frame 250 (set of 4).		LV429256	
150 mm ² , frame 250 (set of 3).		LV429253	
150 mm ² , frame 250 (set of 4).		LV429257	
185 mm ² , frame 250 (set of 3).		LV429254	
185 mm ² , frame 250 (set of 4).		LV429258	
240 mm ² , frame 630 (set of 3).		TPSCON57	
240 mm ² , frame 630 (set of 4).		TPSCON58	
300 mm ² , frame 630 (set of 3).		TPSCON59	
300 mm ² , frame 630 (set of 4).		TPSCON60	

Connection accessory-terminal extensions

	edgewise terminal extensions for frame 250 (set of 3)	LV429308
	edgewise terminal extensions for frame 250 (set of 4)	LV429309
	edgewise terminal extensions for frame 630 (set of 3)	TPSCON55
	edgewise terminal extensions for frame 630 (set of 4)	TPSCON56
	Straight terminal extensions for frame 250 (set of 3)	LV429263
	Straight terminal extensions for frame 250 (set of 4)	LV429264
	Spreader for frame 100 (set of 4), load side only	TPSCON35 ^b
	Spreader for frame 160 (set of 4), load side only	TPSCON36 ^b
	35 mm ~ 45 mm Spreader for frame 250 (set of 3)	LV431563
	35 mm ~ 45 mm Spreader for frame 250 (set of 4), load side only	LV431564 ^b
	35 mm ~ 45 mm Spreader for frame 250 (set of 4), incomings only	TPSCON39 ^a
	45 mm ~ 55 mm Spreader for frame 630 (set of 3)	TPSCON40
	45 mm ~ 55 mm Spreader for frame 630 (set of 4), incomings only	TPSCON41 ^a
	45 mm ~ 55 mm Spreader for frame 630 (set of 4), load side only	TPSCON68 ^b

a: for incomings only

b: for load-side only