

PRODUCT-DETAILS

F204 A-80/0,03 AP-R F204 A-80/0,03 AP-R Residual Current Circuit Breaker



G	eı	щ	18	II I	Int	OI	П	ıaı	IO	n	
Ξ		-		_			_				

Extended Product Type	F204 A-80/0,03 AP-R
Product ID	2CSF204401R1800
EAN	8012542919407
Catalog Description	F204 A-80/0,03 AP-R Residual Current Circuit Breaker

Long Description

The RCCBs F200 series assures protection to people and installations against fault current to earth. A large offer for standard instantaneous and selective AC and A types is completed with some configurations for special applications. This product provides the best compromise between safety and continuity in the service, thanks to the resistance to unwanted trippings.

Technical

Standards	IEC/EN 61008
	UL 1053
Operating Characteristic	Instantaneous (APR High Immunity)
Type of Residual Current	A type
Rated Residual Current	30 mA
Rated Current (I _n)	80 A
Number of Poles	4
Position of Neutral Terminals	Right
Power Loss	at Rated Operating Conditions per Pole 5.3 W

	400 V
Rated Frequency (f)	50/60 Hz
Ambient Air Temperature	Operation -2555 °C
Connecting Capacity	Busbar 10 mm² Rigid 3535 mm² Flexible 3535 mm²
Degree of Protection	IP2X
Electrical Endurance	10000 cycle
Mounting Type	DIN rail
Object Classification Code	Q
Pollution Degree	2
Rated Conditional Short- Circuit Current (I _{nc})	10 kA
Rated Insulation Voltage (U_i)	500 V
Rated Operational Voltage	230 / 400 V AC
Width in Number of Modular Spacings	4
Environmental	
Ambient Air Temperature	Operation -2555 °C
RoHS Status	Following EU Directive 2011/65/EU
Technical UL/CSA	
Maximum Operating Voltage UL/CSA	480Y / 277 V AC
Short-Circuit Current	0.03 mA
Rating (SCCR)	0.00 117 (
Rating (SCCR) Dimensions	0.00 1111
	0.070 m
Dimensions	
Dimensions Product Net Width	0.070 m
Dimensions Product Net Width Product Net Height Product Net Depth /	0.070 m 0.085 m
Dimensions Product Net Width Product Net Height Product Net Depth / Length	0.070 m 0.085 m 0.069 m
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	0.070 m 0.085 m 0.069 m
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information	0.070 m 0.085 m 0.069 m 0.380 kg
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units	0.070 m 0.085 m 0.069 m 0.380 kg
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Width	0.070 m 0.085 m 0.069 m 0.380 kg
Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Container Information Package Level 1 Units Package Level 1 Height Package Level 1 Height Package Level 1 Depth /	0.070 m 0.085 m 0.069 m 0.380 kg 1 piece 0.082 m 0.078 m

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85363030

Declaration of Conformity - CE	9AKK106713A5602
Environmental Information	Refer to RoHS
Instructions and Manuals	Manual sheet inside the box
RoHS Information	2CSC423001K2702

9AKK107046A0424
Manual sheet inside the box

Classifications	
Object Classification Code	Q
ETIM 4	EC000003 - Residual current circuit breaker (RCCB)
ETIM 5	EC000003 - Residual current circuit breaker (RCCB)
ETIM 6	EC000003 - Residual current circuit breaker (RCCB)
ETIM 7	EC000003 - Residual current circuit breaker (RCCB)

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Modular\ DIN\ Rail\ Products \rightarrow Residual\ Current\ Devices\ RCDs \rightarrow Residual\ Current\ Devices\ RCDs$

