

PRODUCT-DETAILS

# E218-16-11

## E218-16-11 Control Switch



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | E218-16-11   |
| Product ID            | 2CCA703050R0001  |
| EAN                   | 7612270938773  |
| Catalog Description   | E218-16-11 Control Switch  |
| Long Description      | Control switches according DIN EN 60669-1, VDE 0632 Part 1, Rated currents: 16/25 A, 250 VAC/PDC, Contacts: 2 NO + 2 NC/3 NO + 1 NC/1 NO + 1 NC, Module width: 0,5/1 |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Finland)     | 3602422       |
| E-Number (Sweden)      | 2102864       |
| E-Number (Switzerland) | 437164738     |
| EAN                    | 7612270938773 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 85365000      |

### Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 9 mm    |
| Product Net Height         | 85 mm   |
| Product Net Length         | 93 mm   |
| Product Net Depth / Length | 67.5 mm |
| Product Net Weight         | 44 g    |

---

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | box 10 piece  |
| Package Level 1 Width          | 96 mm         |
| Package Level 1 Height         | 76 mm         |
| Package Level 1 Depth / Length | 95 mm         |
| Package Level 1 Gross Weight   | 41 g          |
| Package Level 1 EAN            | 7612270938773 |

---

## Environmental

|             |   |
|-------------|---|
| RoHS Status | Following EU Directive 2002/95/EC August 18, 2005 and amendment |
|-------------|---|

---

## Additional Information

|  |                |
|--|----------------|
| Degree of Protection                                       | IP20           |
| Number of Auxiliary Contacts CO (SPDT)                     | 0              |
| Number of Poles  | 2              |
| Number of Main Contacts NC                                 | 1              |
| Number of Main Contacts NO                                 | 1              |
| Options Provided   | 1 NO + 1 NC    |
| Power Loss   | 0.5 W          |
| Product Main Type  | E218           |
| Product Name   | Control Switch |
| Rated Current ( $I_n$ )                                    | 16 A           |
| Rated Voltage ( $U_r$ )                                    | Minimum 24 V   |
| Rated Operational Voltage                                  | 250 V          |
| Rated Service Short-Circuit Breaking Capacity ( $I_{cs}$ ) | 3 kA           |
| RoHS Date  | 20170426       |
| Standards  | EN60669-1      |

---

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2CCC441003C0101 |
| Declaration of Conformity - CE    | 2CCC441014D0201 |
| Environmental Information         | 2CCC441003C0201 |
| Instructions and Manuals          | 2CCC441001C0201 |
| RoHS Information                  | 2CCC413008D0206 |

---

## Classifications

|        |   |
|--------|---|
| ETIM 4 | EC001545 - Main switch for distribution board |
| ETIM 5 | EC001545 - Main switch for distribution board |
| ETIM 6 | EC001545 - Main switch for distribution board |

|                            |  |
|----------------------------|--|
| ETIM 7                     | EC001545 - Main switch for distribution board              |
| Object Classification Code | S  |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling devices → Control Switches, Pushbuttons and Indicator Lights

